


# Amerigo



15Kg

## UN PELLETT DELL'ALTRO MONDO

High quality pellet. 6/8 mm diameter. Weight 15kg.  
Recommended for domestic use. Store in dry conditions.  
Use only in approved and appropriate combustion  
systems according to manufacturer instructions  
and national regulations.

IMPORTATORE ESCLUSIVO

PARAMETERS	UNIT	LIMIT VALUES ENplus A1	AMERIGO
<b>Diametro</b> Durchmesser Wood pellets, diameter	mm	6 ± 1 or 8 ± 1	<b>6,0</b>
<b>Lunghezza</b> Länge Length	mm	3,15 < L ≤ 40	<b>14,13</b>
<b>Umidità</b> Wassergehalt Moisture content	w-%	≤ 10	<b>&lt; 6,0</b>
<b>Ceneri 550°C (db)</b> Aschegehalt Ash content	w-%	≤ 0,7	<b>0,3</b>
<b>Durabilità meccanica</b> Mechanische Festigkeit Mechanical durability	w-%	≥ 98,0	<b>98,2</b>
<b>Polveri (&lt;3,15 mm)</b> Feinanteil Fines	w-%	≤ 0,5	<b>0,5</b>
<b>Additivi</b> Additive Pressing aid additives	w-%	≤ 2	-
<b>Potere calorifico inferiore (ar)</b> Heizwert Hu Net calorific value	kWh/kg	≥ 4,6	<b>5</b>
<b>Potere calorifico superiore</b> Brennwert Gross Calorific Value	kWh/kg	-	<b>5,4</b>
<b>Densità apparente</b> Schüttdichte Bulk density	kg/m <sup>3</sup>	600 ≤ BD ≤ 750	<b>708</b>
<b>Azoto (db)</b> Stickstoff Nitrogen content	w-%	≤ 0,3	<b>&lt; 0,13</b>
<b>Zolfo (db)</b> Schwefel Sulphur content	w-%	≤ 0,04	<b>&lt; 0,03</b>
<b>Cloro (db)</b> Chlor Chlorine content	w-%	≤ 0,02	<b>&lt; 0,01</b>
<b>Arsenico (db)</b> Arsen Arsenic	mg/kg	≤ 1	<b>&lt; 1</b>
<b>Cadmio (db)</b> Kadmium Cadmium	mg/kg	≤ 0,5	<b>&lt; 0,2</b>
<b>Cromo (db)</b> Chrom Chromium	mg/kg	≤ 10	<b>&lt; 1</b>
<b>Rame (db)</b> Kupfer Copper	mg/kg	≤ 10	<b>&lt; 1</b>
<b>Piombo (db)</b> Blei Lead	mg/kg	≤ 10	<b>&lt; 2</b>
<b>Mercurio (db)</b> Quecksilber Mercury	mg/kg	≤ 0,1	<b>&lt; 0,1</b>
<b>Nickel (db)</b> Nickel Nickel	mg/kg	≤ 10	<b>&lt; 1</b>
<b>Zinco (db)</b> Zink Zinc	mg/kg	≤ 100	<b>11</b>
<b>Temperatura di rammollimento ceneri DT</b> Ascheerweichungstemperatur Deformation temperature DT	°C	≥ 1200	<b>1280</b>